



663 Lycaste St. Detroit MI 48214
 TEL: 800-323-9905 FAX: 313-499-8998

PROFILE FORM

Document Number: EMF-006 – Revision Date: 11/01/2019

Please complete and review for accuracy before signing and submitting second page.

1. GENERATOR INFORMATION	
Generator: _____	
Street: _____	
City, State Zip: _____	
Contact: _____	
Phone: _____	Email: _____
2. INVOICE INFORMATION	
Customer: _____	
Street: _____	
City, State Zip: _____	
P.O #: _____	
Contact: _____	
Phone: _____	Email: _____
3. MATERIAL DESCRIPTION	
Material Common Name: _____	
Vol./Freq. Generated: _____	
Process Generating Material:	
<input type="checkbox"/> Used Oil	<input type="checkbox"/> Petroleum impacted groundwater
<input type="checkbox"/> Oily Wastewater	<input type="checkbox"/> Recoverable Petroleum Product
<input type="checkbox"/> Other (Describe) _____	
APPROVAL INFORMATION – INTERNAL USE ONLY	
Approval Status: _____	
Profile #: _____	
Authorization: _____	Date: _____
Billing Approved: <input type="checkbox"/> Yes <input type="checkbox"/> No	

GENERATOR IDENTIFICATION #	G#
4. WASTE CHARACTERIZATION	
4.A. LISTED WASTE CHARACTERIZATION	
Does material meet description below?	NO YES CODE(S)
F WASTE	<input type="checkbox"/> <input type="checkbox"/> _____
K WASTE	<input type="checkbox"/> <input type="checkbox"/> _____
P WASTE	<input type="checkbox"/> <input type="checkbox"/> _____
U WASTE	<input type="checkbox"/> <input type="checkbox"/> _____
4.B. TSCA MATERIAL	
↓ ANALYTICAL TESTING REQUIRED	N/A NO YES NO YES
<input type="checkbox"/> Does material contain PCBs?	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> _____
<input type="checkbox"/> Mixed with PCB material >50ppm?	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> _____
4.C. USED OIL	
↓ ANALYTICAL TESTING REQUIRED	N/A NO YES NO YES
<input type="checkbox"/> Is material a USED OIL?	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> _____
<input type="checkbox"/> Is USED OIL mixed with a characteristic waste?	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> _____
USED OIL is exempt from the rebuttable presumption because:	
<input type="checkbox"/> Generator is conditionally exempt	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> N/A N/A
<input type="checkbox"/> Testing shows USED OIL to contain <1000ppm Total Halogens (attach reports(s))	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> _____
Rebutting the Presumption	
<input type="checkbox"/> USED OIL is mixed with a halogenated listed waste?	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> _____
<input type="checkbox"/> USED OIL contains significant concentrations of halogenated hazardous constituents listed in appendix VII of 40 CFR 261?	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> _____

4.D. WASTE CHARACTERISTICS

↓ ANALYTICAL TESTING REQUIRED	EXCEEDS LIMITS?			ANALYTICAL TESTING?	
	N/A	NO	YES	NO	YES
<input type="checkbox"/> D001 Ignitability (Flash < 140°F)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D002 Corrosivity (pH <2 or >12.5)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D003 Reactivity (Reactive Cyanide 250 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D003 Reactivity (Reactive Sulfide 500 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

TCLP METALS (For all analytes below)	EXCEEDS LIMITS?			ANALYTICAL TESTING?	
	N/A	NO	YES	NO	YES
<input type="checkbox"/> D004 Arsenic (5.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D005 Barium (100.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D006 Cadmium (1.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D007 Chromium (5.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D008 Lead (5.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D009 Mercury (0.2 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D010 Selenium (1.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D011 Silver (5.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

TCLP ZHE ORGANICS (For all analytes below)	EXCEEDS LIMITS?			ANALYTICAL TESTING?	
	N/A	NO	YES	NO	YES
<input type="checkbox"/> D018 Benzene (0.5 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D019 Carbon Tetrachloride (0.5 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D021 Chlorobenzene (100.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D022 Chloroform (6.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D028 1,2-Dichloroethane (0.5 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D029 1,1-Dichloroethylene (0.7 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D035 Methyl Ethyl Ketone (200 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D039 Tetrachloroethylene (0.7 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D040 Trichloroethylene (0.5 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D043 Vinyl Chloride (0.2 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

↓ ANALYTICAL TESTING REQUIRED	EXCEEDS LIMITS?			ANALYTICAL TESTING?	
	N/A	NO	YES	NO	YES
<input type="checkbox"/> ACID EXTRACTABLES (For all analytes below)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D023 o-Cresol (200.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D024 m-Cresol (200.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D025 p-Cresol (200.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D026 Cresol (200.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D037 Pentachlorophenol (100.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D041 2,4,5-Trichlorophenol(400.0ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D042 2,4,6-Trichlorophenol (2.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

BASE NEUT EXTRACTABLES (For all below)	EXCEEDS LIMITS?			ANALYTICAL TESTING?	
	N/A	NO	YES	NO	YES
<input type="checkbox"/> D027 1,4-Dichlorobenzene (7.5 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D030 2,4-Dinitrotoluene (0.13 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D032 Hexachlorobenzene (0.13 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D033 Hexachlorobutadiene (0.5 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D034 Hexachloroethane (3.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D036 Nitrobenzene (2.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D038 Pyridine (5.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

TCLP PESTS & HERBS (For all analytes below)	EXCEEDS LIMITS?			ANALYTICAL TESTING?	
	N/A	NO	YES	NO	YES
<input type="checkbox"/> D020 Chlordane (0.03 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D012 Endrin (0.02 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D031 Heptachlor (0.008 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D013 Lindane (0.4 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D014 Methoxychlor (10.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D015 Toxaphene (0.5 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D016 2,4-D (10.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
<input type="checkbox"/> D017 2,4,5-TP (1.0 ppm)	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

5. According to Federal and State Waste Regulations, the material recognized as:

Used Oil Non-hazardous Liquid Industrial Waste Non-Regulated Hazardous Waste TSCA Waste Other _____

6. We do not use Per and Polyfluoroalkyl Substances (PFAS) listed on Table 1 or use any of the processes in Attachment A.

7. CERTIFICATION: Answers provided without supporting analytical testing are based upon my knowledge of the material and process generating the material. The provided analytical data reflects testing conducted on the material in question. Based on knowledge and belief, all information provided (including attachments) is complete and factual and is an accurate representation of the material.

Signature: _____ Printed Name: _____ Date: _____

Company: _____ Title: _____

8. ATTACHMENTS (List)

- 1) Attachment A -Industrial Processes, Applications & Groundwater Guidance
- 2) Table 1 Compliance Standards for Per and Polyfluoroalkyl Substances

11/01/2019